

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G Revision Date: 08-28-2021 Replaces: 08-10-2021

1. Identification		
Product identifier used on the label: Product Code:	PRONTO 80W90 5GL PR18905G	
Other means of identification: Synonyms:	No data available	
Recommended use of the chemical and res Recommended use:	strictions on use: Gear Oil	
Restrictions on use:	Uses other than those described above	
Name, address, and telephone number of the chemical manufacturer,	Highline Warren LLC	
importer, or other responsible party:	4500 Malone Road	
	Memphis, TN 38118	
Phone number:	+01 (901) 437-8615	
E-mail address:	sds@highlinewarren.com	
Emergency phone number:	CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887	

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification:Not classified as hazardous under OSHAHazards not otherwise classified:No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Petroleum distillates,	No data available	64742-54-7	60 - 80
hydrotreated heavy paraffinic			
Residual oils (petroleum),	No data available	64742-62-7	10 - 30
solvent dewaxed			
1-Propene, 2-methyl-, sulfurized	No data available	68511-50-2	1 - 5
(Z)-Octadec-9-enylamine	No data available	112-90-3	0.1 - 1
Amines, C12-14-tert-alkyl	No data available	68955-53-3	0.1 - 1
Petroleum distillates, solvent-	No data available	64741-88-4	0.1 - 1
refined heavy paraffinic			
Distillates, petroleum, solvent-	No data available	64742-65-0	0.1 - 1
dewaxed heavy paraffinic			

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G Revision Date: 08-28-2021 Replaces: 08-10-2021

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye Contact:	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated clothing and continue flushing with water.
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	No data available
Indication of immediate medical attention and special treatment needed, if necessary:	No additional first aid information available.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous combustion products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G Revision Date: 08-28-2021 Replaces: 08-10-2021

Special protective equipment and precautions for fire-fighters:	oxides of phosphorus, Hydrogen sulfide, Carbon dioxide Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.
6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures:	No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment and cleaning up:	No special spill clean up considerations. Collect and discard in regular trash.

7. Handling and storage	
Precautions for safe handling:	Mildly irritating material. Avoid unnecessary exposure. Follow all protective equipment recommendations provided in Section 8.
Conditions for safe storage, including any incompatibilities: Safe storage conditions:	Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical Incompatibility:	Acids, Oxidizing materials

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH	US WEEL
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available	No data available
Distillates, petroleum, solvent-dewaxed heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available	No data available

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G

Revision Date: 08-28-2021 **Replaces:** 08-10-2021

Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye protection:	Wear safety glasses when handling this product if there is a likelihood of contact with eyes.
Skin protection:	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves:	Neoprene, Nitrile
General hygiene conditions:	Follow all protective equipment recommendations provided in Section 8.

9. Physical and chemical properties

Appearance (physical state, color etc.):		
Physical state:	Liquid	
Color:	Brown	
Odor:	Mild	
Odor Threshold:	Not determined	
рН:	No data available	
Melting point/freezing point:		
Melting Point:	No data available	
Freezing point:	No data available	
Initial boiling point and boiling range (°C):	No data available	
Flash Point (°C):	232	
Evaporation Rate:	No data available	
Flammability (solid, gas):	No data available	
Upper/lower flammability or explosive limits:		
Upper flammability or explosive limits:	Not established	

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G Revision Date: 08-28-2021 Replaces: 08-10-2021

Not established
No data available
No data available
0.88
Negligible; 0-1%
No data available
No data available
Not determined
140.8

10. Stability and reactivity

Reactivity: Chemical stability: Possibility of hazardous reactions:	There are no known reactivity hazards associated with this product. Stable under normal conditions. None expected under standard conditions of storage.
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
Incompatible materials:	Acids, Oxidizing materials
Hazardous decomposition products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide, Carbon dioxide

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	Inhalation, Ingestion, Skin contact, Eye contact
Symptoms related to the physical, chemical and toxicological characteristics:	No data available
Delayed and immediate effects and also ch	ronic effects from short- and long-term exposure:
Ingestion:	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
Skin Contact:	This material is likely to be slightly irritating to skin based on animal

Product identifier used on the label: PRONTO 80W90 5GL

Product Code: PR18905G **Revision Date:** 08-28-2021 **Replaces:** 08-10-2021

	data.Can cause minor skin irritation, defatting, and dermatitis.
Absorption:	Estimated to be > 5.0 g/kg; practically non-toxic
Inhalation:	No hazard in normal industrial use. Estimated to be >20 mg/l; practically non-toxic
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data.
Sensitization:	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive toxicity	Not known or reported to cause reproductive or developmental toxicity.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Other information:	None known.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates, petroleum, solvent-dewaxed heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	Inhalation LC50 (4h) Rat > 2400 MG/M3
Petroleum distillates, solvent-refined heavy paraffinic	Oral LD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 5530 MG/M3
Amines, C12-14-tert-alkyl	Oral LD50 Rat 300 mg/kg	Dermal LD50 Rat 251 mg/kg	
(Z)-Octadec-9-enylamine	Oral LD50 Rat 1689 mg/kg		
1-Propene, 2-methyl-, sulfurized	Oral LD50 Rat 5700 mg/kg	Dermal LD50 Rat > 7940 mg/kg	Inhalation LC50 (4h) Rat > 0.39 mg/L
Residual oils (petroleum),	Oral LD50 Rat > 5000	Dermal LD50 Rabbit > 2000	Inhalation LC50 (4h) Rat
solvent dewaxed	mg/kg	mg/kg	2.18 mg/L
Petroleum distillates,	Oral LD50 Rat > 15000	Dermal LD50 Rabbit > 5000	
hydrotreated heavy	mg/kg	mg/kg	

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G Revision Date: 08-28-2021 Replaces: 08-10-2021

paraffinic

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Amines, C12-14-tert-alkyl	68955-53-3	No data available	Aquatic ERC50 (72h) Green Algae 0.44 mg/L	LC50 (96h) Rainbow Trout 1.3 mg/L
(Z)-Octadec-9-enylamine	112-90-3	EC50 (48h) Daphnia magna 0.011 mg/L	Aquatic ERC50 (96h) Green Algae 0.04 mg/L	LC50 (96h) Pimephales promelas (Fathead Minnow) 0.06 mg/L
1-Propene, 2-methyl-, sulfurized	68511-50-2	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Pimephales promelas (Fathead Minnow) < 1000 mg/L LC50 (96h) Pimephales promelas (Fathead Minnow) 250 - 500 mg/L
Residual oils (petroleum), solvent dewaxed	64742-62-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout >

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G Revision Date: 08-28-2021 Replaces: 08-10-2021

				5000 mg/L		
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L		
Persistence and degradability	: Biodeg	rades slowly.				
Bioaccumulative potential:	Biocon	centration may occur.				
Mobility in soil:		This material is expected to have essentially no mobility in soil. It abso strongly to most soil types.				
Other adverse effects (such a hazardous to the ozone layer)		known.				
13. Disposal considerations						
Description of waste residues information on their safe han methods of disposal, includin disposal of any contaminated packaging:	idling and regula ig the	or discarded material is r tions.	non-hazardous accord	ing to environmental		
Contaminated packaging:	Recycl	e containers whenever p	ossible.			
	0	Containers of this material may be hazardous when emptied.				
	Contai	ners of this matchai may				
14. Transport information	Contai					
14. Transport information Carriage of dangerous goods						
•	by road (DOT), rail o		rt			
Carriage of dangerous goods	by road (DOT) , rail o Not re	r inland waterways: gulated for road transpo	rt			
Carriage of dangerous goods DOT Basic Description:	by road (DOT), rail o Not re gerous goods by sea	r inland waterways: gulated for road transpo	rt			
Carriage of dangerous goods DOT Basic Description: International carriage of dang	by road (DOT), rail o Not re gerous goods by sea Not re	r inland waterways: gulated for road transpo (IMDG/IMO):	rt			
Carriage of dangerous goods DOT Basic Description: International carriage of dang UN number:	by road (DOT), rail o Not re gerous goods by sea Not re Not ap	r inland waterways: gulated for road transpo (IMDG/IMO): gulated by IMDG	rt			
Carriage of dangerous goods DOT Basic Description: International carriage of dang UN number: UN Proper shipping name:	by road (DOT), rail o Not re gerous goods by sea Not re Not ap Not ap	r inland waterways: gulated for road transpo (IMDG/IMO): gulated by IMDG plicable	rt			
Carriage of dangerous goods DOT Basic Description: International carriage of dang UN number: UN Proper shipping name: Transport hazard class(es):	by road (DOT), rail o Not re gerous goods by sea Not re Not ap Not ap Not ap	r inland waterways: gulated for road transpo (IMDG/IMO): gulated by IMDG plicable plicable plicable	rt			
Carriage of dangerous goods DOT Basic Description: International carriage of dang UN number: UN Proper shipping name: Transport hazard class(es): Packing group, if applicable:	by road (DOT), rail o Not re gerous goods by sea Not re Not ap Not ap Not ap	r inland waterways: gulated for road transpo (IMDG/IMO): gulated by IMDG plicable plicable plicable	rt			

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G Revision Date: 08-28-2021 Replaces: 08-10-2021

Transport hazard class(es): Packing group, if applicable:	Not applicable Not applicable
Environmental hazards (e.g., Marine pollutant (Yes/No)):	None.
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	No data available
Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:	No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the Active US TSCA Inventory or are exempt.

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	N	N	Ν
Residual oils (petroleum), solvent dewaxed	64742-62-7	Ν	N	Ν	Ν
1-Propene, 2-methyl- , sulfurized	68511-50-2	Ν	N	N	Ν
(Z)-Octadec-9- enylamine	112-90-3	Ν	Ν	N	Ν
Amines, C12-14-tert- alkyl	68955-53-3	Ν	Ν	N	Ν
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Ν	N	N	Ν
Distillates, petroleum, solvent- dewaxed heavy	64742-65-0	Ν	N	Ν	N

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G Revision Date: 08-28-2021 Replaces: 08-10-2021

paraffinic

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity		
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	N	Ν	N
Residual oils (petroleum), solvent dewaxed	64742-62-7	Ν	N	Ν	Ν
1-Propene, 2-methyl- , sulfurized	68511-50-2	Ν	N	Ν	Ν
(Z)-Octadec-9- enylamine	112-90-3	Ν	N	Ν	N
Amines, C12-14-tert- alkyl	68955-53-3	Ν	N	Ν	N
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Ν	N	Ν	Ν
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	Ν	N	Ν	Ν

California Prop 65

No ingredient(s) requiring a warning under California Prop 65.

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	N	Ν	Ν	Ν
Residual oils (petroleum), solvent dewaxed	64742-62-7	Ν	N	Ν	N	Ν
1-Propene, 2-methyl- , sulfurized	68511-50-2	Ν	N	Ν	Ν	Ν
(Z)-Octadec-9- enylamine	112-90-3	Ν	N	Ν	Ν	Ν

Product identifier used on the label: PRONTO 80W90 5GL Product Code: PR18905G Revision Date: 08-28-2021 Replaces: 08-10-2021

Amines, C12-14-tert- alkyl	68955-53-3	Ν	Ν	Ν	Ν	Ν
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Ν	Ν	Ν	Ν	Ν
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν	Ν

16. Other information, including date of preparation or last revision. SDS Prepared by: SCOTTEW **Revision Date:** 08-28-2021 **Revision Number:** 31 **Reason for revision:** Activated by Document Formulation Generation **References:** No data available Other Info: No data available **Disclaimer:** This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.